

Aluminium Angle Geometric Standards




List Price

AN121215	12mm x 12mm x 1.5mm	Stocked	AN201215	20mm x 12mm x 1.5mm	Stocked
	Mill	S		Mill	S
	Standard Powdercoat	S		Standard Powdercoat	S
	Special Powdercoat	NS		Special Powdercoat	NS
	Pearl Powdercoat	NS		Pearl Powdercoat	NS
	Ultriva/Duratec Powdercoat	NS		Ultriva/Duratec Powdercoat	NS
	Clear Anodised 20um	S		Clear Anodised 20um	S
	Bronze Anodised 20um	S		Bronze Anodised 20um	S
AN202015	20mm x 20mm x 1.5mm		AN251215	25mm x 12mm x 1.5mm	
	Mill	S		Mill	S
	Standard Powdercoat	S		Standard Powdercoat	S
	Special Powdercoat	NS		Special Powdercoat	NS
	Pearl Powdercoat	NS		Pearl Powdercoat	NS
	Ultriva/Duratec Powdercoat	NS		Ultriva/Duratec Powdercoat	NS
	Clear Anodised 20um	S		Clear Anodised 20um	S
	Bronze Anodised 20um	S		Bronze Anodised 20um	S
AN252015	25mm x 20mm x 1.5mm		AN25203	25mm x 20mm x 3mm	
	Mill	S		Mill	P.O.A. NS
	Standard Powdercoat	S		Standard Powdercoat	P.O.A. NS
	Special Powdercoat	NS		Special Powdercoat	P.O.A. NS
	Pearl Powdercoat	NS		Pearl Powdercoat	P.O.A. NS
	Ultriva/Duratec Powdercoat	NS		Ultriva/Duratec Powdercoat	P.O.A. NS
	Clear Anodised 20um	S		Clear Anodised 20um	P.O.A. NS
	Bronze Anodised 20um	S		Bronze Anodised 20um	P.O.A. NS
AN252515	25mm x 25mm x 1.5mm		AN25253	25mm x 25mm x 3mm	
	Mill	S		Mill	P.O.A. NS
	Standard Powdercoat	S		Standard Powdercoat	P.O.A. NS
	Special Powdercoat	NS		Special Powdercoat	P.O.A. NS
	Pearl Powdercoat	NS		Pearl Powdercoat	P.O.A. NS
	Ultriva/Duratec Powdercoat	NS		Ultriva/Duratec Powdercoat	P.O.A. NS
	Clear Anodised 20um	S		Clear Anodised 20um	P.O.A. NS
	Bronze Anodised 20um	S		Bronze Anodised 20um	P.O.A. NS
AN322015	32mm x 20mm x 1.5mm		AN323215	32mm x 32mm x 1.5mm	
	Mill	S		Mill	S
	Standard Powdercoat	S		Standard Powdercoat	S
	Special Powdercoat	NS		Special Powdercoat	NS
	Pearl Powdercoat	NS		Pearl Powdercoat	NS
	Ultriva/Duratec Powdercoat	NS		Ultriva/Duratec Powdercoat	NS
	Clear Anodised 20um	S		Clear Anodised 20um	S
	Bronze Anodised 20um	S		Bronze Anodised 20um	NS

Note:

Standard Powdercoat stocked colours are White, Magnolia, Doeskin, Brown, Anotec Dark Grey and Black.

All angles supplied in 6.5m lengths except 100 x 100 x 1.8 which are 4.5m lengths.



Aluminium Angle Geometric Standards




List Price

AN32323	32mm x 32mm x 3mm		Stocked	AN401215	40mm x 12mm x 1.5mm		Stocked
	Mill	P.O.A.	NS		Mill		S
	Standard Powdercoat	P.O.A.	NS		Standard Powdercoat		S
	Special Powdercoat	P.O.A.	NS		Special Powdercoat		NS
	Pearl Powdercoat	P.O.A.	NS		Pearl Powdercoat		NS
	Ultriva/Duratec Powdercoat	P.O.A.	NS		Ultriva/Duratec Powdercoat		NS
	Clear Anodised 20um	P.O.A.	NS		Clear Anodised 20um		S
	Bronze Anodised 20um	P.O.A.	NS		Bronze Anodised 20um		S
AN402015	40mm x 20mm x 1.5mm			AN40203	40mm x 20mm x 3mm		
	Mill		S		Mill	P.O.A.	NS
	Standard Powdercoat		S		Standard Powdercoat	P.O.A.	NS
	Special Powdercoat		NS		Special Powdercoat	P.O.A.	NS
	Pearl Powdercoat		NS		Pearl Powdercoat	P.O.A.	NS
	Ultriva/Duratec Powdercoat		NS		Ultriva/Duratec Powdercoat	P.O.A.	NS
	Clear Anodised 20um		S		Clear Anodised 20um	P.O.A.	NS
	Bronze Anodised 20um		S		Bronze Anodised 20um	P.O.A.	NS
AN402515	40mm x 25mm x 1.5mm			AN40253	40mm x 25mm x 3mm		
	Mill		S		Mill	P.O.A.	NS
	Standard Powdercoat		NS		Standard Powdercoat	P.O.A.	NS
	Special Powdercoat		NS		Special Powdercoat	P.O.A.	NS
	Pearl Powdercoat		NS		Pearl Powdercoat	P.O.A.	NS
	Ultriva/Duratec Powdercoat		NS		Ultriva/Duratec Powdercoat	P.O.A.	NS
	Clear Anodised 20um		NS		Clear Anodised 20um	P.O.A.	NS
	Bronze Anodised 20um		NS		Bronze Anodised 20um	P.O.A.	NS
AN404015	40mm x 40mm x 1.5mm			AN40403	40mm x 40mm x 3mm		
	Mill		S		Mill	P.O.A.	NS
	Standard Powdercoat		NS		Standard Powdercoat	P.O.A.	NS
	Special Powdercoat		NS		Special Powdercoat	P.O.A.	NS
	Pearl Powdercoat		NS		Pearl Powdercoat	P.O.A.	NS
	Ultriva/Duratec Powdercoat		NS		Ultriva/Duratec Powdercoat	P.O.A.	NS
	Clear Anodised 20um		NS		Clear Anodised 20um	P.O.A.	NS
	Bronze Anodised 20um		NS		Bronze Anodised 20um	P.O.A.	NS
AN502515	50mm x 25mm x 1.5mm			AN25503	50mm x 25mm x 3mm		
	Mill		S		Mill		S
	Standard Powdercoat		S		Standard Powdercoat		S
	Special Powdercoat		NS		Special Powdercoat		NS
	Pearl Powdercoat		NS		Pearl Powdercoat		NS
	Ultriva/Duratec Powdercoat		NS		Ultriva/Duratec Powdercoat		NS
	Clear Anodised 20um		S		Clear Anodised 20um		S
	Bronze Anodised 20um		S		Bronze Anodised 20um		S

Note:

Standard Powdercoat stocked colours are White, Magnolia, Doeskin, Brown, Anotec Dark Grey and Black.

All angles supplied in 6.5m lengths except 100 x 100 x 1.8 which are 4.5m lengths.



Aluminium Angle Geometric Standards



List Price

Product Code	Dimensions	Stocked	Product Code	Dimensions	Stocked
AN505015	50mm x 50mm x 1.5mm		AN50503	50mm x 50mm x 3mm	
Mill		S	Mill		P.O.A. NS
Standard Powdercoat		NS	Standard Powdercoat		P.O.A. NS
Special Powdercoat		NS	Special Powdercoat		P.O.A. NS
Pearl Powdercoat		NS	Pearl Powdercoat		P.O.A. NS
Ultriva/Duratec Powdercoat		NS	Ultriva/Duratec Powdercoat		P.O.A. NS
Clear Anodised 20um		NS	Clear Anodised 20um		P.O.A. NS
Bronze Anodised 20um		NS	Bronze Anodised 20um		P.O.A. NS
AN50504	50mm x 50mm x 4mm		AN50506	50mm x 50mm x 6mm	
Mill		P.O.A. NS	Mill		P.O.A. NS
Standard Powdercoat		P.O.A. NS	Standard Powdercoat		P.O.A. NS
Special Powdercoat		P.O.A. NS	Special Powdercoat		P.O.A. NS
Pearl Powdercoat		P.O.A. NS	Pearl Powdercoat		P.O.A. NS
Ultriva/Duratec Powdercoat		P.O.A. NS	Ultriva/Duratec Powdercoat		P.O.A. NS
Clear Anodised 20um		P.O.A. NS	Clear Anodised 20um		P.O.A. NS
Bronze Anodised 20um		P.O.A. NS	Bronze Anodised 20um		P.O.A. NS
AN702515	70mm x 25mm x 1.5mm		AN1001001.8	100mm x 100mm x 1.8mm	
Mill		S	Mill		NS
Standard Powdercoat		NS	Standard Powdercoat		NS
Special Powdercoat		NS	Special Powdercoat		NS
Pearl Powdercoat		NS	Pearl Powdercoat		NS
Ultriva/Duratec Powdercoat		NS	Ultriva/Duratec Powdercoat		NS
Clear Anodised 20um		NS	Clear Anodised 20um		NS
Bronze Anodised 20um		NS	Bronze Anodised 20um		NS

Note:

Standard Powdercoat stocked colours are White, Magnolia, Doeskin, Brown, Anotec Dark Grey and Black.

All angles supplied in 6.5m lengths except 100 x 100 x 1.8 which are 4.5m lengths.


Geometric Standards

Flat Bar



List Price

Flat Bar




Part No.	Size (mm)		Length	Powdercoat			C/Anod.
	A	B		Mill	Standard	Special	
FB122.5	12	2.5	4000	P.O.A.	P.O.A.	P.O.A.	P.O.A.
FB153	15	3	4000	P.O.A.	P.O.A.	P.O.A.	P.O.A.
FB203	20	3	4000	P.O.A.	P.O.A.	P.O.A.	P.O.A.
FB251.6	25	1.6	4000	P.O.A.	P.O.A.	P.O.A.	P.O.A.
FB253	25	3	4000				
FB256	25	6	4000	P.O.A.	P.O.A.	P.O.A.	P.O.A.
FB323	32	3	4000				
FB401.6	40	1.6	4000	P.O.A.	P.O.A.	P.O.A.	P.O.A.
FB403	40	3	4000				
FB406	40	6	4000	P.O.A.	P.O.A.	P.O.A.	P.O.A.
FB408	40	8	4000	P.O.A.	P.O.A.	P.O.A.	P.O.A.
FB503	50	3	4000				
FB506	50	6	4000	P.O.A.	P.O.A.	P.O.A.	P.O.A.
FB508	50	8	4000	P.O.A.	P.O.A.	P.O.A.	P.O.A.
FB5010	50	10	4000	P.O.A.	P.O.A.	P.O.A.	P.O.A.
FB8010	80	10	4000	P.O.A.	P.O.A.	P.O.A.	P.O.A.
FB8012	80	12	4000	P.O.A.	P.O.A.	P.O.A.	P.O.A.
FB8016	80	16	4000	P.O.A.	P.O.A.	P.O.A.	P.O.A.
FB1001.6	100	1.6	4000	P.O.A.	P.O.A.	P.O.A.	P.O.A.
FB1003	100	3	4000				

Items shaded in grey are available Ex-Stock

Geometric Standards Rectangular Hollow

List Price

Rectangular Hollow - Square Edge




Part No.	Size (mm)			Length	Powdercoat			
	A	B	C		Mill	Standard	Special	C/Anod.
RHS40251.6	40	25	1.6	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
RHS50253	50	25	3	6500				
RHS60403	60	40	3	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
RHS76252.5	76	25	2.5	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
RHS80403	80	40	3	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
RHS80503	80	50	3	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
RHS100253	100	25	3	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
RHS100403	100	40	3	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
RHS100501.6	100	50	1.6	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
RHS100503	100	50	3	6500				
RHS150403	150	40	3	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
RHS150503	150	50	3	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
RHS200503	200	50	3	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.

Items shaded in grey are available Ex-Stock

List Price


Rectangular Hollow - Radius Edge



Part No.	Description	Length	Mill
940660000	9406 RT 38 X 25 x 1.5mm R/E	6000	
9406S60000	9406S Pool fence single punched 16mm holes @ 90mm centres	6000	
9406D60000	9406D Pool fence double punched 16mm holes @ 90mm centres	6000	
9406&BS60000	9406&BS Pool fence single punched 19mm holes @ 90mm centres	6000	P.O.A.
9406&BD60000	9406&BD Pool fence double punched 19mm holes @ 90mm centres	6000	P.O.A.

Items shaded in grey are available Ex-Stock

Tee Bar




Part No.	Size (mm)			Length	Mill	Powdercoat		C/Anod.
	A	B	C			Standard	Special	
TEE20201.6	20	20	1.6	4000	P.O.A.	P.O.A.	P.O.A.	P.O.A.
TEE20203	20	20	3	4000	P.O.A.	P.O.A.	P.O.A.	P.O.A.
TEE25251.6	25	25	1.6	4000	P.O.A.	P.O.A.	P.O.A.	P.O.A.
TEE25253	25	25	3	4000	P.O.A.	P.O.A.	P.O.A.	P.O.A.
TEE40401.6	40	40	1.6	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
TEE40403	40	40	3	4000	P.O.A.	P.O.A.	P.O.A.	P.O.A.

Geometric Standards Square Hollow

List Price

Square Hollow - Square Edge



Part No.	Size (mm)		Length	Powdercoat			C/Anod.
	A	C		Mill	Standard	Special	
SQH16161.2	16	1.2	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
SQH16161.6	16	1.6	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
SQH19191	19	1	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
SQH19191.2	19	1.2	6500				
SQH19191.6	19	1.6	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
SQH25250.8	25	0.8	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
SQH25251.2	25	1.2	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
SQH25251.6	25	1.6	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
SQH25253	25	3	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
SQH32321.6	32	1.6	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
SQH32322	32	2	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
SQH32323	32	3	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
SQH38381.6	38	1.6	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
SQH38382.5	38	2.5	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
SQH40401.6	40	1.6	6500				
SQH40402.5	40	2.5	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
SQH40403	40	3	6500				
SQH45451.6	45	1.6	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
SQH50501.6	50	1.6	6500				
SQH50502	50	2	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
SQH50502.5	50	2.5	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
SQH50503	50	3	6500				
SQH60602	60	2	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.


Items shaded in grey are available Ex-Stock

**Geometric Standards
Square Hollow**



List Price

Square Hollow - Radius Edge




Part No.	Size (mm)		Length	Powdercoat			C/Anod.
	A	C		Mill	Standard	Special	
SQH19191.2RC	19	1.2	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
SQH25253RC	25	3	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
SQH40401.6RC	40	1.6	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
SQH50501.5RC	50	1.5	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
SQH50501.6RC	50	1.6	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
SQH50502RC	50	2	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
SQH80806RC	80	6	6000	P.O.A.	P.O.A.	P.O.A.	P.O.A.

Geometric Standards Round Tube

List Price

Round Tube



Part No.	Size (mm)		Length	Powdercoat			
	A	T		Mill	Standard	Special	C/Anod.
TU101.6	10	1.6	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
TU121.2	12	1.2	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
TU121.6	12	1.6	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
TU161.2	16	1.2	6000				
TU161.6	16	1.6	6000	P.O.A.	P.O.A.	P.O.A.	P.O.A.
TU191.2	19	1.2	6000				
TU191.6	19	1.6	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
TU193.2	19	3.2	6000	P.O.A.	P.O.A.	P.O.A.	P.O.A.
TU201.6	20	1.6	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
TU251.6	25	1.6	6500				
TU253	25	3	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
TU311.1	31.75	1.1	2900	P.O.A.	P.O.A.	P.O.A.	
TU323	32	3	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
TU383	38	3	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
TU403	40	3	6500				
TU501.6	50	1.6	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
TU502	50	2	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
TU503	50	3	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
TU602	60	2	6500		Stocked in White only		
TU735	73	5	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
TU802	80	2	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
TU803	80	3	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
TU903	90	3	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
TU906	90	6	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.

Items shaded in grey are available Ex-Stock

Geometric Standards Channel



List Price

Channel



Part No.	Size (mm)			Length	Powdercoat			
	A	B	C		Mill	Standard	Special	C/Anod.
CHAN16161.6	16	16	1.6	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
CHAN19201.2	19	20	1.2	6000				
CHAN20161.6	20	16	1.6	6000	P.O.A.	P.O.A.	P.O.A.	P.O.A.
CHAN22201.2	22	20	1.2	6000				
CHAN22251.3	22.4	25.4	1.3	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
N733	25	20	15	6500				
N101	25	25	1.5	6500				
CHAN25253	25	25	3	6500				
CHAN25403	25	40	3	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
CHAN25251.3	25.4	25.4	1.3	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
CHAN32323	32	32	3	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
CHAN32453	32	45	3	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
CHAN35251.5	35	25	1.5	6000	P.O.A.	P.O.A.	P.O.A.	P.O.A.
CHAN40253	40	25	3	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
CHAN53.2251.2	53.2	25	1.2	6500	P.O.A.	P.O.A.	P.O.A.	P.O.A.
CHAN53.2251.5	53.2	25	1.5	6500				
CHAN78381.6	78	38	1.6	6500		P.O.A.	P.O.A.	P.O.A.

Items shaded in grey are available Ex-Stock












NOTE: *Asterisks* indicate that channels N733 and N101 are available ex-stock in the following:

- (1) Standard Powdercoat colours : Anotec Dark Grey, Black Satin, Hammersley Brown, Magnolia, Pearl White and Satin Doeskin.
- (2) Bronze Anodise 10um - priced same as Clear Anodise 10um.

Geometric Standards Miscellaneous Extrusions



List Price

	Part No.	Lth.	Stocked	Mill	Powdercoat		
					Standard	Special	C/Anod.
	6595 Single rope track	6500	S		<i>Stocked in Mill Finish only</i>		
	AI-CAR003 Double rope track	6500	S		<i>Stocked in Mill Finish only</i>		
	AI-061104SLAT Slat board - 28mm x 13.7mm x 8mm	2400	S		<i>Stocked in Mill Finish only</i>		
	AI-301106ZED22.5 Z Section - 17.5mm x 22.5mm x 17.5mm	6000	NS	P.O.A.	P.O.A.	P.O.A.	P.O.A.
	AI-311106ZED14 Z Section - 17.5mm x 24mm x 17.5mm	6000	NS	P.O.A.	P.O.A.	P.O.A.	P.O.A.
	SQUROD6.0 6mm Square rod	5000	S	P.O.A.	P.O.A.	P.O.A.	<i>Stocked in Clear Anodise only</i>
	ATEE36362.4 Ceiling tee - 36mm x 36mm x 2.4mm	5500	S		<i>Stocked in Mill Finish only</i>		
	AN808016135 135° Angle - 80 x 80 x 1.6mm	4500	NS	P.O.A.	P.O.A.	P.O.A.	P.O.A.
	AN1001002.045 135° Angle - 100 x 100 x 2mm	4500	NS	P.O.A.	P.O.A.	P.O.A.	P.O.A.
	CHAN78381.6 78 x 38 x 1.6mm Coolroom Channel (WE371)	6500	S		P.O.A.	P.O.A.	P.O.A.
	CJ372 Coolroom door jamb (WE372)	6500	S		P.O.A.	P.O.A.	P.O.A.